

Цельные твердосплавные развертки CoroReamer™ 435


С прямыми стружечными канавками

Для обработки глухих отверстий



TCHA
CNSC

H7
1




DC	DC*	LU	LU*	CZC _{MS}	TCHAL	TCHAU	Код заказа	Размеры, мм, дюйм			DCON	DCON*	PHD	PHD*	LF	LF*	L	L*	CP Bar	CP PSI	BSG
								H10F	H7F	H9F											
3.97	.156	39.00	1.535	6	0.00	0.01	435.B-0397-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
3.98	.156	39.00	1.535	6	0.00	0.01	435.B-0398-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
3.99	.157	39.00	1.535	6	0.00	0.01	435.B-0399-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
4.00	.157	39.00	1.535	6	0.00	0.01	435.B-0400-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
4.01	.157	39.00	1.535	6	0.00	0.01	435.B-0401-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
4.02	.158	39.00	1.535	6	0.00	0.01	435.B-0402-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT
4.03	.158	39.00	1.535	6	0.00	0.01	435.B-0403-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.39	2.928	12.00	.472	20	290	COROMANT
4.50	.177	39.00	1.535	6	0.00	0.01	435.B-0450-A1-XF	☆	☆	☆	6.00	.236	4.30	.169	74.32	2.925	12.00	.472	20	290	COROMANT
4.97	.195	39.00	1.535	6	0.00	0.01	435.B-0497-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
4.98	.196	39.00	1.535	6	0.00	0.01	435.B-0498-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
4.99	.196	39.00	1.535	6	0.00	0.01	435.B-0499-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
5.00	.196	39.00	1.535	6	0.00	0.01	435.B-0500-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
5.01	.197	39.00	1.535	6	0.00	0.01	435.B-0501-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
5.02	.197	39.00	1.535	6	0.00	0.01	435.B-0502-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT
5.03	.198	39.00	1.535	6	0.00	0.01	435.B-0503-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.24	2.922	12.00	.472	20	290	COROMANT
5.50	.216	39.00	1.535	6	0.00	0.01	435.B-0550-A1-XF	☆	☆	☆	6.00	.236	5.30	.208	74.17	2.920	12.00	.472	20	290	COROMANT
5.97	.235	39.00	1.535	6	0.00	0.01	435.B-0597-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
5.98	.235	39.00	1.535	6	0.00	0.01	435.B-0598-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
5.99	.235	39.00	1.535	6	0.00	0.01	435.B-0599-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
6.00	.236	39.00	1.535	6	0.00	0.01	435.B-0600-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
6.01	.236	39.00	1.535	6	0.00	0.01	435.B-0601-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
6.02	.237	39.00	1.535	6	0.00	0.01	435.B-0602-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT
6.03	.237	39.00	1.535	6	0.00	0.01	435.B-0603-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.09	2.916	12.00	.472	20	290	COROMANT
6.50	.255	64.00	2.519	8	0.00	0.01	435.B-0650-A1-XF	☆	☆	☆	8.00	.314	6.30	.248	99.02	3.898	16.00	.629	20	290	COROMANT
7.00	.275	64.00	2.519	8	0.00	0.01	435.B-0700-A1-XF	☆	☆	☆	8.00	.314	6.80	.267	98.95	3.895	16.00	.629	20	290	COROMANT
7.50	.295	64.00	2.519	8	0.00	0.01	435.B-0750-A1-XF	☆	☆	☆	8.00	.314	7.30	.287	98.87	3.892	16.00	.629	20	290	COROMANT
7.97	.313	64.00	2.519	8	0.00	0.01	435.B-0797-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT
7.98	.314	64.00	2.519	8	0.00	0.01	435.B-0798-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT
7.99	.314	64.00	2.519	8	0.00	0.01	435.B-0799-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT
8.00	.314	64.00	2.519	8	0.00	0.01	435.B-0800-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT
8.01	.315	64.00	2.519	8	0.00	0.01	435.B-0801-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT
8.02	.315	64.00	2.519	8	0.00	0.01	435.B-0802-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.79	3.889	16.00	.629	20	290	COROMANT
8.03	.316	64.00	2.519	8	0.00	0.01	435.B-0803-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.79	3.889	16.00	.629	20	290	COROMANT
8.50	.334	60.00	2.362	10	0.00	0.01	435.B-0850-A1-XF	☆	☆	☆	10.00	.393	8.30	.326	98.72	3.886	20.00	.787	20	290	COROMANT
9.00	.354	60.00	2.362	10	0.00	0.01	435.B-0900-A1-XF	☆	☆	☆	10.00	.393	8.80	.346	98.65	3.883	20.00	.787	20	290	COROMANT
9.50	.374	80.00	3.149	10	0.00	0.01	435.B-0950-A1-XF	☆	☆	☆	10.00	.393	9.30	.366	118.57	4.668	20.00	.787	20	290	COROMANT
9.97	.392	80.00	3.149	10	0.00	0.01	435.B-0997-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT
9.98	.392	80.00	3.149	10	0.00	0.01	435.B-0998-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT
9.99	.393	80.00	3.149	10	0.00	0.01	435.B-0999-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT
10.00	.393	80.00	3.149	10	0.00	0.01	435.B-1000-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT
10.01	.394	80.00	3.149	10	0.00	0.01	435.B-1001-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT
10.02	.394	80.00	3.149	10	0.00	0.01	435.B-1002-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.49	4.664	20.00	.787	20	290	COROMANT
10.03	.394	80.00	3.149	10	0.00	0.01	435.B-1003-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.49	4.664	20.00	.787	20	290	COROMANT
10.50	.413	75.00	2.952	12	0.00	0.01	435.B-1050-A1-XF	☆	☆	☆	12.00	.472	10.30	.405	118.42	4.662	20.00	.787	20	290	COROMANT
11.00	.433	75.00	2.952	12	0.00	0.01	435.B-1100-A1-XF	☆	☆	☆	12.00	.472	10.80	.425	118.35	4.659	20.00	.787	20	290	COROMANT
11.50	.452	75.00	2.952	12	0.00	0.01	435.B-1150-A1-XF	☆	☆	☆	12.00	.472	11.30	.444	118.27	4.656	20.00	.787	20	290	COROMANT
11.97	.471	75.00	2.952	12	0.00	0.01	435.B-1197-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT
11.98	.471	75.00	2.952	12	0.00	0.01	435.B-1198-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT



O5



Q5



N24



Q1



Q35

Цельные твердосплавные развертки CoroReamer™ 435


С прямыми стружечными канавками

Для обработки глухих отверстий




TCHA
CNSC

H7
1



							Размеры, мм, дюйм														
							P	K	N												
DC	DC"	LU	LU"	CZC _{MS}	TCHAL	TCHAU	Код заказа	H10F	H9F	H8F	DCON	DCON"	PHD	PHD"	LF	LF"	L	L"	CP Bar	CP PSI	BSG
11.99	.472	75.00	2.952	12	0.00	0.01	435.B-1199-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT
12.00	.472	75.00	2.952	12	0.00	0.01	435.B-1200-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT
12.01	.472	75.00	2.952	12	0.00	0.01	435.B-1201-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT
12.02	.473	75.00	2.952	12	0.00	0.01	435.B-1202-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.19	4.653	20.00	.787	20	290	COROMANT
12.03	.473	75.00	2.952	12	0.00	0.01	435.B-1203-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.19	4.653	20.00	.787	20	290	COROMANT
13.00	.511	85.00	3.346	14	0.00	0.01	435.B-1300-A1-XF	☆	☆	☆	14.00	.551	12.80	.503	128.05	5.041	22.00	.866	20	290	COROMANT
14.00	.551	85.00	3.346	14	0.00	0.01	435.B-1400-A1-XF	☆	☆	☆	14.00	.551	13.80	.543	127.90	5.035	22.00	.866	20	290	COROMANT
15.00	.590	82.00	3.228	16	0.00	0.01	435.B-1500-A1-XF	☆	☆	☆	16.00	.629	14.80	.582	127.75	5.029	22.00	.866	20	290	COROMANT
16.00	.629	102.00	4.015	16	0.00	0.01	435.B-1600-A1-XF	☆	☆	☆	16.00	.629	15.80	.622	147.60	5.811	25.00	.984	20	290	COROMANT
17.00	.669	102.00	4.015	18	0.00	0.01	435.B-1700-A1-XF	☆	☆	☆	18.00	.708	16.80	.661	147.45	5.805	25.00	.984	20	290	COROMANT
18.00	.708	102.00	4.015	18	0.00	0.01	435.B-1800-A1-XF	☆	☆	☆	18.00	.708	17.80	.700	147.30	5.799	25.00	.984	20	290	COROMANT
19.00	.748	100.00	3.937	20	0.00	0.02	435.B-1900-A1-XF	☆	☆	☆	20.00	.787	18.80	.740	147.14	5.792	25.00	.984	20	290	COROMANT
20.00	.787	100.00	3.937	20	0.00	0.02	435.B-2000-A1-XF	☆	☆	☆	20.00	.787	19.80	.779	146.99	5.787	25.00	.984	20	290	COROMANT



Цельные твердосплавные развертки CoroReamer™ 435


Со спиральными стружечными канавками

Для обработки сквозных отверстий



TCHA
CNSC

H7
1




							P	K	N	Размеры, мм, дюйм												
DC	DC*	LU	LU*	CZC _{MS}	TCHAL	TCHAU	Код заказа	H10F	H9F	H8F	DCON	DCON*	PHD	PHD*	LF	LF*	L	L'	CP Bar	CP PSI	BSG	
3.97	.156	39.00	1.535	6	0.00	0.01	435.T-0397-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
3.98	.156	39.00	1.535	6	0.00	0.01	435.T-0398-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
3.99	.157	39.00	1.535	6	0.00	0.01	435.T-0399-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
4.00	.157	39.00	1.535	6	0.00	0.01	435.T-0400-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
4.01	.157	39.00	1.535	6	0.00	0.01	435.T-0401-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
4.02	.158	39.00	1.535	6	0.00	0.01	435.T-0402-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.40	2.929	12.00	.472	20	290	COROMANT	
4.03	.158	39.00	1.535	6	0.00	0.01	435.T-0403-A1-XF	☆	☆	☆	6.00	.236	3.80	.149	74.39	2.928	12.00	.472	20	290	COROMANT	
4.50	.177	39.00	1.535	6	0.00	0.01	435.T-0450-A1-XF	☆	☆	☆	6.00	.236	4.30	.169	74.32	2.925	12.00	.472	20	290	COROMANT	
4.97	.195	39.00	1.535	6	0.00	0.01	435.T-0497-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
4.98	.196	39.00	1.535	6	0.00	0.01	435.T-0498-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
4.99	.196	39.00	1.535	6	0.00	0.01	435.T-0499-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
5.00	.196	39.00	1.535	6	0.00	0.01	435.T-0500-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
5.01	.197	39.00	1.535	6	0.00	0.01	435.T-0501-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
5.02	.197	39.00	1.535	6	0.00	0.01	435.T-0502-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.25	2.923	12.00	.472	20	290	COROMANT	
5.03	.198	39.00	1.535	6	0.00	0.01	435.T-0503-A1-XF	☆	☆	☆	6.00	.236	4.80	.188	74.24	2.922	12.00	.472	20	290	COROMANT	
5.50	.216	39.00	1.535	6	0.00	0.01	435.T-0550-A1-XF	☆	☆	☆	6.00	.236	5.30	.208	74.17	2.920	12.00	.472	20	290	COROMANT	
5.97	.235	39.00	1.535	6	0.00	0.01	435.T-0597-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
5.98	.235	39.00	1.535	6	0.00	0.01	435.T-0598-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
5.99	.235	39.00	1.535	6	0.00	0.01	435.T-0599-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
6.00	.236	39.00	1.535	6	0.00	0.01	435.T-0600-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
6.01	.236	39.00	1.535	6	0.00	0.01	435.T-0601-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
6.02	.237	39.00	1.535	6	0.00	0.01	435.T-0602-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.10	2.917	12.00	.472	20	290	COROMANT	
6.03	.237	39.00	1.535	6	0.00	0.01	435.T-0603-A1-XF	☆	☆	☆	6.00	.236	5.80	.228	74.09	2.916	12.00	.472	20	290	COROMANT	
6.50	.255	64.00	2.519	8	0.00	0.01	435.T-0650-A1-XF	☆	☆	☆	8.00	.314	6.30	.248	99.02	3.898	16.00	.629	20	290	COROMANT	
7.00	.275	64.00	2.519	8	0.00	0.01	435.T-0700-A1-XF	☆	☆	☆	8.00	.314	6.80	.267	98.95	3.895	16.00	.629	20	290	COROMANT	
7.50	.295	64.00	2.519	8	0.00	0.01	435.T-0750-A1-XF	☆	☆	☆	8.00	.314	7.30	.287	98.87	3.892	16.00	.629	20	290	COROMANT	
7.97	.313	64.00	2.519	8	0.00	0.01	435.T-0797-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT	
7.98	.314	64.00	2.519	8	0.00	0.01	435.T-0798-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT	
7.99	.314	64.00	2.519	8	0.00	0.01	435.T-0799-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT	
8.00	.314	64.00	2.519	8	0.00	0.01	435.T-0800-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT	
8.01	.315	64.00	2.519	8	0.00	0.01	435.T-0801-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.80	3.889	16.00	.629	20	290	COROMANT	
8.02	.315	64.00	2.519	8	0.00	0.01	435.T-0802-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.79	3.889	16.00	.629	20	290	COROMANT	
8.03	.316	64.00	2.519	8	0.00	0.01	435.T-0803-A1-XF	☆	☆	☆	8.00	.314	7.80	.307	98.79	3.889	16.00	.629	20	290	COROMANT	
8.50	.334	60.00	2.362	10	0.00	0.01	435.T-0850-A1-XF	☆	☆	☆	10.00	.393	8.30	.326	98.72	3.886	20.00	.787	20	290	COROMANT	
9.00	.354	60.00	2.362	10	0.00	0.01	435.T-0900-A1-XF	☆	☆	☆	10.00	.393	8.80	.346	98.65	3.883	20.00	.787	20	290	COROMANT	
9.50	.374	80.00	3.149	10	0.00	0.01	435.T-0950-A1-XF	☆	☆	☆	10.00	.393	9.30	.366	118.57	4.668	20.00	.787	20	290	COROMANT	
9.97	.392	80.00	3.149	10	0.00	0.01	435.T-0997-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT	
9.98	.392	80.00	3.149	10	0.00	0.01	435.T-0998-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT	
9.99	.393	80.00	3.149	10	0.00	0.01	435.T-0999-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT	
10.00	.393	80.00	3.149	10	0.00	0.01	435.T-1000-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT	
10.01	.394	80.00	3.149	10	0.00	0.01	435.T-1001-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.50	4.665	20.00	.787	20	290	COROMANT	
10.02	.394	80.00	3.149	10	0.00	0.01	435.T-1002-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.49	4.664	20.00	.787	20	290	COROMANT	
10.03	.394	80.00	3.149	10	0.00	0.01	435.T-1003-A1-XF	☆	☆	☆	10.00	.393	9.80	.385	118.49	4.664	20.00	.787	20	290	COROMANT	
10.50	.413	75.00	2.952	12	0.00	0.01	435.T-1050-A1-XF	☆	☆	☆	12.00	.472	10.30	.405	118.42	4.662	20.00	.787	20	290	COROMANT	
11.00	.433	75.00	2.952	12	0.00	0.01	435.T-1100-A1-XF	☆	☆	☆	12.00	.472	10.80	.425	118.35	4.659	20.00	.787	20	290	COROMANT	
11.50	.452	75.00	2.952	12	0.00	0.01	435.T-1150-A1-XF	☆	☆	☆	12.00	.472	11.30	.444	118.27	4.656	20.00	.787	20	290	COROMANT	
11.97	.471	75.00	2.952	12	0.00	0.01	435.T-1197-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT	
11.98	.471	75.00	2.952	12	0.00	0.01	435.T-1198-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT	



O5



Q5



N24



Q1



Q35

Цельные твердосплавные развертки CoroReamer™ 435


Со спиральными стружечными канавками

Для обработки сквозных отверстий



TCHA
CNSC

H7
1



							P			K			N			Размеры, мм, дюйм						
DC	DC"	LU	LU"	CZC _{MS}	TCHAL	TCHAU	Код заказа	H10F	H9F	H8F	DCON	DCON"	PHD	PHD"	LF	LF"	L	L"	CP Bar	CP PSI	BSG	
11.99	.472	75.00	2.952	12	0.00	0.01	435.T-1199-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT	
12.00	.472	75.00	2.952	12	0.00	0.01	435.T-1200-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT	
12.01	.472	75.00	2.952	12	0.00	0.01	435.T-1201-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.20	4.653	20.00	.787	20	290	COROMANT	
12.02	.473	75.00	2.952	12	0.00	0.01	435.T-1202-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.19	4.653	20.00	.787	20	290	COROMANT	
12.03	.473	75.00	2.952	12	0.00	0.01	435.T-1203-A1-XF	☆	☆	☆	12.00	.472	11.80	.464	118.19	4.653	20.00	.787	20	290	COROMANT	
13.00	.511	85.00	3.346	14	0.00	0.01	435.T-1300-A1-XF	☆	☆	☆	14.00	.551	12.80	.503	128.05	5.041	22.00	.866	20	290	COROMANT	
14.00	.551	85.00	3.346	14	0.00	0.01	435.T-1400-A1-XF	☆	☆	☆	14.00	.551	13.80	.543	127.90	5.035	22.00	.866	20	290	COROMANT	
15.00	.590	82.00	3.228	16	0.00	0.01	435.T-1500-A1-XF	☆	☆	☆	16.00	.629	14.80	.582	127.75	5.029	22.00	.866	20	290	COROMANT	
16.00	.629	102.00	4.015	16	0.00	0.01	435.T-1600-A1-XF	☆	☆	☆	16.00	.629	15.80	.622	147.60	5.811	25.00	.984	20	290	COROMANT	
17.00	.669	102.00	4.015	18	0.00	0.01	435.T-1700-A1-XF	☆	☆	☆	18.00	.708	16.80	.661	147.45	5.805	25.00	.984	20	290	COROMANT	
18.00	.708	102.00	4.015	18	0.00	0.01	435.T-1800-A1-XF	☆	☆	☆	18.00	.708	17.80	.700	147.30	5.799	25.00	.984	20	290	COROMANT	
19.00	.748	100.00	3.937	20	0.00	0.02	435.T-1900-A1-XF	☆	☆	☆	20.00	.787	18.80	.740	147.14	5.792	25.00	.984	20	290	COROMANT	
20.00	.787	100.00	3.937	20	0.00	0.02	435.T-2000-A1-XF	☆	☆	☆	20.00	.787	19.80	.779	146.99	5.787	25.00	.984	20	290	COROMANT	

