




Спиральные сверла
с конусом Морзе

Артикул №	266	525	526	620
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие				
Тип	N	GT 50	GT 100	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	134	138	136	138
Техническая информация на стр.	179	180	180	180



d1		МК	l1	l2
мм	дюйм			
8,000		1	265,00	165,00
8,200		1	265,00	165,00
8,500		1	265,00	165,00
8,600		1	275,00	175,00
8,700		1	275,00	175,00
8,800		1	275,00	175,00
9,000		1	275,00	175,00
9,500		1	275,00	175,00
9,520	3/8	1	285,00	185,00
9,800		1	285,00	185,00
10,000		1	285,00	185,00
10,200		1	285,00	185,00
10,250		1	285,00	185,00
10,320	13/32	1	285,00	185,00
10,500		1	285,00	185,00
10,720	27/64	1	300,00	195,00
10,800		1	300,00	195,00
11,000		1	300,00	195,00
11,110	7/16	1	300,00	195,00
11,400		1	300,00	195,00
11,500		1	300,00	195,00
11,510	29/64	1	300,00	195,00
11,750		1	300,00	195,00
11,800		1	300,00	195,00
12,000		1	310,00	205,00
12,200		1	310,00	205,00
12,300	31/64	1	310,00	205,00
12,500		1	310,00	205,00
12,700	1/2	1	310,00	205,00
12,800		1	310,00	205,00
13,000		1	310,00	205,00
13,500		1	325,00	220,00
13,750		1	325,00	220,00
13,800		1	325,00	220,00
14,000		1	325,00	220,00
14,200		2	340,00	220,00
14,290	9/16	2	340,00	220,00
14,500		2	340,00	220,00
15,000		2	340,00	220,00


Цена/шт. в ЕВРО			
●		●	
●	○	●	
		○	
	○	●	
●	○	○	
●		●	
●	○	●	●
●		●	●
●	○	●	●
●		○	
●		○	●
○		●	●
●		●	●
●		○	○
●		●	
●	○	●	●
●		●	●
●	○	●	●
●		○	
●	○	●	●
●		●	●
●	●	●	●
●		●	●
●		●	●
●	●	●	●
●		●	●
●		●	●
●		●	●



Спиральные сверла, сверхдлинные, ряд 1

Спиральные сверла с конусом Морзе

Артикул №	266	525	526	620
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие				
Тип	N	GT 50	GT 100	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	134	138	136	138
Техническая информация на стр.	179	180	180	180



d1		МК	l1	l2
мм	дюйм			
15,080	19/32	2	355,00	230,00
15,250		2	355,00	230,00
15,500		2	355,00	230,00
15,750		2	355,00	230,00
15,800		2	355,00	230,00
15,870	5/8	2	355,00	230,00
16,000		2	355,00	230,00
16,250		2	355,00	230,00
16,500		2	355,00	230,00
16,670	21/32	2	355,00	230,00
17,000		2	355,00	230,00
17,460	11/16	2	370,00	245,00
17,500		2	370,00	245,00
17,750		2	370,00	245,00
18,000		2	370,00	245,00
18,500		2	370,00	245,00
18,650	47/64	2	370,00	245,00
19,000		2	370,00	245,00
19,500		2	385,00	260,00
19,750		2	385,00	260,00
20,000		2	385,00	260,00
20,500		2	385,00	260,00
20,640	13/16	2	385,00	260,00
21,000		2	385,00	260,00
21,430	27/32	2	405,00	270,00
21,500		2	405,00	270,00
21,830		2	405,00	270,00
22,000		2	405,00	270,00
22,500		2	405,00	270,00
22,620		2	405,00	270,00
23,000		2	405,00	270,00
23,020	29/32	2	405,00	270,00
23,500		3	425,00	270,00
24,000		3	440,00	290,00
24,300		3	440,00	290,00
24,380		3	440,00	290,00
24,500		3	440,00	290,00
25,000	63/64	3	440,00	290,00
25,500		3	440,00	290,00


Цена/шт. в ЕВРО			
●			●
●	○	●	●
●			
●		●	
●	●	●	●
●			
●		●	●
●			
●		●	●
●	●	●	●
●			
●		●	●
●	○	●	●
●			
●		●	●
●	○	●	○
●	●	●	●
●			
●	●	●	
●	○		
●		●	
●	○		○

без покрытия
 обработка паром
 азотирование ленточек
 азотирование
 золотисто-коричневое
 TiAlN
 TiAlN nanoA
 TiAlN SuperA



Спиральные сверла
с конусом Морзе

Артикул №	266	525	526	620
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие				
Тип	N	GT 50	GT 100	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	134	138	136	138
Техническая информация на стр.	179	180	180	180



d1		МК	l1	l2
мм	дюйм			
26,000		3	440,00	290,00
26,500		3	440,00	290,00
27,000		3	460,00	305,00
27,180		3	460,00	305,00
27,500		3	460,00	305,00
28,000		3	460,00	305,00
28,500		3	460,00	305,00
29,000		3	460,00	305,00
29,370	1 5/32	3	460,00	305,00
30,000		3	460,00	305,00
30,500		3	480,00	320,00
31,000		3	480,00	320,00
32,000		4	505,00	320,00
33,000		4	505,00	320,00
34,000		4	530,00	340,00
35,000		4	530,00	340,00
36,000		4	530,00	340,00
38,000		4	555,00	360,00
39,000		4	555,00	360,00
40,000		4	555,00	360,00
42,000		4	555,00	360,00
45,000		4	585,00	385,00
45,240	1 25/32	4	585,00	385,00
48,000		4	605,00	405,00
50,000		4	605,00	405,00


Цена/шт. в ЕВРО			
●	○	●	●
●	○	●	
●			○
	○		
●	●	●	
	○	○	
	○	●	
			○
●		●	●
●			
●	○		
●		●	
●			
●			
●			
●			
●			
●			
●			
●			
●			
●			
○			
●			
●			



Спиральные сверла, сверхдлинные, ряд 2

Спиральные сверла с конусом Морзе

Артикул №	267	527	542	621
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие				
Тип	N	GT 100	GT 50	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	138	136	138	138
Техническая информация на стр.	180	180	181	181




d1		МК	l1	l2
мм	дюйм			
8,000		1	330,00	210,00
8,400		1	330,00	210,00
8,500		1	330,00	210,00
8,600		1	345,00	220,00
8,800		1	345,00	220,00
8,900		1	345,00	220,00
9,000		1	345,00	220,00
9,500		1	345,00	220,00
9,520	3/8	1	360,00	235,00
10,000		1	360,00	235,00
10,200		1	360,00	235,00
10,320	13/32	1	360,00	235,00
10,500		1	360,00	235,00
10,700		1	375,00	250,00
10,720	27/64	1	375,00	250,00
11,000		1	375,00	250,00
11,110	7/16	1	375,00	250,00
11,500		1	375,00	250,00
11,510	29/64	1	375,00	250,00
11,750		1	375,00	250,00
11,800		1	375,00	250,00
11,910	15/32	1	395,00	260,00
12,000		1	395,00	260,00
12,500		1	395,00	260,00
12,700	1/2	1	395,00	260,00
13,000		1	395,00	260,00
13,490	17/32	1	410,00	275,00
13,500		1	410,00	275,00
13,700		1	410,00	275,00
13,800		1	410,00	275,00
13,890	35/64	1	410,00	275,00
14,000		1	410,00	275,00
14,290	9/16	2	425,00	275,00
14,500		2	425,00	275,00
15,000		2	425,00	275,00
15,480	39/64	2	445,00	295,00
15,500		2	445,00	295,00
16,000		2	445,00	295,00
16,270		2	445,00	295,00

Цена/шт. в ЕВРО			
●	●		
●	●	○	
		○	
		○	
	○		
●	●	○	
●	●	○	
	○		●
●	●		●
●		○	
	○		○
●	●	○	●
●	●	○	●
●	○		
●	●	○	●
●	●	○	●
○	●		
●	●	○	●
●	●		●
○	●	○	●
●	●	○	●
●	●		○

без покрытия
 обработка паром
 азотирование ленточек
 азотирование
 золотисто-коричневое
 TiAlN
 TiAlN nanoA
 TiAlN SuperA



Артикул №	267	527	542	621
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие	○	● ^{>0} _{16,0}	○	● ^{>0} _{16,0}
Тип	N	GT 100	GT 50	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	138	136	138	138
Техническая информация на стр.	180	180	181	181




d1					МК	l1	l2	Цена/шт. в ЕВРО					
мм	дюйм		мм	мм				●	○	●	○		
16,500					2	445,00	295,00			●			
16,900					2	445,00	295,00			○			
17,000					2	445,00	295,00			●		○	
17,070	43/64				2	465,00	310,00			○		○	
17,500					2	465,00	310,00			●		○	
17,800					2	465,00	310,00			○			
18,000					2	465,00	310,00			●			●
18,500					2	465,00	310,00			●			●
18,650	47/64				2	465,00	310,00						○
19,000					2	465,00	310,00			●			●
19,050	3/4				2	490,00	325,00			○			○
19,450	49/64				2	490,00	325,00						
19,500					2	490,00	325,00			●			
20,000					2	490,00	325,00			●			●
20,240	51/64				2	490,00	325,00					○	○
20,500					2	490,00	325,00					○	
20,640	13/16				2	490,00	325,00			○			
21,000					2	490,00	325,00			●			○
21,030	53/64				2	490,00	325,00						
21,430	27/32				2	515,00	345,00			○			○
21,500					2	515,00	345,00			●			
21,830	55/64				2	515,00	345,00			●			
22,000					2	515,00	345,00			●		●	
22,500					2	515,00	345,00					○	
22,620	57/64				2	515,00	345,00			○			
22,800					2	515,00	345,00			○			
23,000					2	515,00	345,00			●			
23,020	29/32				2	515,00	345,00			○			
23,420	59/64				3	535,00	345,00						●
23,500					3	535,00	345,00					○	
23,750					3	555,00	365,00			○			
23,810	15/16				3	555,00	365,00			○			
24,000					3	555,00	365,00			●			
24,210	61/64				3	555,00	365,00					○	
24,500					3	555,00	365,00			●			○
24,610	31/32				3	555,00	365,00					○	
25,000	63/64				3	555,00	365,00			●			
25,500					3	555,00	365,00					○	
25,800	1 1/64				3	555,00	365,00						○



Спиральные сверла, сверхдлинные, ряд 2

Спиральные сверла
с конусом Морзе

Артикул №	267	527	542	621
Стандарт	DIN 1870			
Режущий материал	HSS			HSCO
Покрытие	○	● <small>>0 16,0</small>	○	● <small>>0 16,0</small>
Тип	N	GT 100	GT 50	GT 100
Направление резания	правое	правое	правое	правое
Допуск	h8	h8	h8	h8
Группа скидок	138	136	138	138
Техническая информация на стр.	180	180	181	181



d1		МК	L1	L2
мм	дюйм			
26,000		3	555,00	365,00
26,190	1 1/32	3	555,00	365,00
26,500		3	555,00	365,00
27,000		3	580,00	385,00
27,500		3	580,00	385,00
28,000		3	580,00	385,00
28,750		3	580,00	385,00
29,000		3	580,00	385,00
29,500		3	580,00	385,00
30,000		3	580,00	385,00
31,000		3	610,00	410,00
32,000		4	635,00	410,00
34,000		4	665,00	430,00
40,000		4	695,00	460,00
45,000		4	735,00	490,00

Цена/шт. в EBPO		
●	○	○
	●	
		○
		○
●		○
	○	
	●	○
○	●	○
●	●	○
●		●
●		
●		
●		
●		

○ без покрытия ○ обработка паром ● азотирование ленточек ● азотирование ● золотисто-коричневое **A** TiAIN **a** TiAIN nanoA **A** TiAIN SuperA